



WHII
WHII AL Series



9', 12' & 14' Body Lengths



www.monroetruck.com


Available for Nationwide Ship-Thru



WHII Wood Floor



WHII Smooth Steel Floor



Optional Double Acting Hoist and Underbody Toolbox

	Wood	Smooth Steel
Structural	<ul style="list-style-type: none"> 6" Longmembers 3" Roll Formed C-Channel Crossmembers on 18" Centers 	<ul style="list-style-type: none"> 6" Longmembers 3" Roll Formed C-Channel Crossmembers on 18" Centers
Floor	<ul style="list-style-type: none"> 2"x 8" Southern Yellow Pine; Grade #1 MCA Treated V-Groove 	<ul style="list-style-type: none"> 10 Gauge High Strength Smooth Steel; 18" Crossmember Spacing 10 Gauge High Strength Smooth Steel; 12" Crossmember Spacing (12' Body Only)
Bulkhead	<ul style="list-style-type: none"> 12 Gauge H.D. Kneebraced Integral Bulkhead Diamond Punched Window 	<ul style="list-style-type: none"> 12 Gauge H.D. Kneebraced Integral Bulkhead Diamond Punched Window
Lighting	FMVSS108 Compliant Lighting & Marking	FMVSS108 Compliant Lighting & Marking
Stake Pockets & Tie Rails	<ul style="list-style-type: none"> Stake Pockets Cut Into Body Tie Rails Welded to Crossmembers 	<ul style="list-style-type: none"> Stake Pockets Cut Into Body Tie Rails Welded to Crossmembers
Towing Options	<ul style="list-style-type: none"> Receiver Tube or Pintle Plate Hitch Swept-Back Hitch (12' & 14' Body Only) 	<ul style="list-style-type: none"> Receiver Tube or Pintle Plate Hitch Swept-Back Hitch (12' & 14' Body Only)
Finish	Black Powder Coat Finish	Black Powder Coat Finish

HD Kneebraced Integral Bulkhead with Diamond Punched Window



FMVSS Compliant Lighting & Rear Rubber Mud Flaps

Optional Receiver Hitch in 5/8" Steel Plate with Trailer Plug

WHII Standard Features:

- Platform provides a full 9', 12' or 14' of Usable Load Space
- Available Flooring: Wood, Smooth Steel (Mild or Stainless), Treadplate Steel and Extruded Aluminum
- Formed Channel Longmembers
- 3" Formed C-Channel Crossmembers
- 3/4" L.E.D. Marker Lighting
- Underbody Tie Rails
- Rear Rubber Mud Flaps
- 12 Gauge H.D. Kneebraced 40" Bulkhead with 1/4" Steel Center Posts
- Tapered Bulkhead with Full-Width Diamond Punched Window
- 100% Powder Coat Finish on All Steel Components
- 5-Year Limited Warranty


Platform Options:

- Stake Racks
- Underbody Hoist Package
- Bulkhead Corner Filler Panel
- Bumper/Hitch
- Toolboxes
- Liftgate
- 46" Tapered Bulkhead
- 52.5" Square Bulkhead

(12' & 14' Wood and 12' Steel Floor Only)



WHII Treadplate Steel Floor



WHII AL Series



Treadplate	Aluminum
<ul style="list-style-type: none"> 6" Longmembers 3" Roll Formed C-Channel Crossmembers on 18" Centers 	<ul style="list-style-type: none"> 2" x 6" Aluminum 1/4" Wall Tubular Longmembers 2" x 3" .125" Aluminum Crossmembers
<ul style="list-style-type: none"> 1/8" Treadplate; 18" Crossmember Spacing 3/16" Treadplate; 12" Crossmember Spacing (12' Body Only) 	<ul style="list-style-type: none"> 5/8" Ripped Extruded Aluminum Tongue & Groove Floor with G-Tube Perimeter Frame
<ul style="list-style-type: none"> 12 Gauge H.D. Kneebraced Integral Bulkhead Diamond Punched Window 	<ul style="list-style-type: none"> Square, Bolt-On 5/8" Thick Aluminum Extruded Bulkhead with Expanded Metal Window & Accessory Track
FMVSS108 Compliant Lighting & Marking	FMVSS108 Compliant Lighting & Marking
<ul style="list-style-type: none"> Stake Pockets Cut Into Body Tie Rails Welded to Crossmembers 	<ul style="list-style-type: none"> 3/8" x 2" Underbody Tie Rail External 2" x 3/8" Aluminum Rub Rail With Stake Pockets
<ul style="list-style-type: none"> Receiver Tube or Pintle Plate Hitch Swept-Back Hitch (12' & 14' Body Only) 	<ul style="list-style-type: none"> Receiver Tube or Pintle Plate Hitch Swept-Back Hitch (12' & 14' Body Only)
Black Powder Coat Finish	Bare Aluminum Finish



Optional Swept Back Hitch



Optional Bulkhead Filler Panel



Wood Floor WHII
with Stake Racks



AL Series WHII
with Stake Racks

WHII Steel Stake Rack Specifications -Wood, Smooth Steel & Treadplate Steel Platforms-	
Interior Length	Full Platform Length
Interior Width	96" O.D. x 91" I.D.
Slats	6" x 16 Gauge Roll-Formed Steel
Rears	(2) Lift-Out Racks
Hold Down Latch	Spring-Loaded in Stake; 1 Per Section
Height	42" Height
Side Sections	2 Side Sections - 9' Platform 3 Side Sections - 12' & 14' Platforms

WHII Aluminum Stake Rack Specifications -AL Series Platform-	
Interior Length	Full Platform Length
Interior Width	96" O.D. x 91.75" I.D.
Slats	6" Extruded Aluminum Slats
Rears	(2) Lift-Out Racks
Hold Down Latch	Spring-Loaded in Stake; 1 Per Section
Height	40" Height
Side Sections	2 Side Sections - 9' Platform 3 Side Sections - 12' & 14' Platforms

Optional Stake Sides
and Liftgate



Seven Locations

MONROE 1051 W. 7th Street, Monroe, WI 53566 • 800.978.8785

MARSHFIELD 1601 E. 29th Street, Marshfield, WI 54449 • 800.882.1900

DE PERE 1151 W. Main Avenue, DePere, WI 54115 • 877.814.7605

JOLIET 812 Draper Avenue, Joliet, IL 60432 • 800.892.7052

FLINT 2400 Reo Drive, Flint, MI 48507 • 877.233.2030

LOUISVILLE 12001 Westport Rd, Louisville, KY 40245 • 800.978.8785

LITCHFIELD - MONROE TOWMASTER 
61381 US Hwy 12, Litchfield, MN 55355 • 888.878.8777



MTE Headquarters - Monroe, WI



**Nationwide Ship-Thru
Available**

Visit Us Online at www.monroetruck.com



Monroe Truck Equipment
1051 W. 7th Street
Monroe, WI 53566