

STTM *SERVICE TRUCKS* *INTERNATIONAL*



servicetrucks.com • 800.225.8789 • sales@servicetrucks.com



We Design Around
YOUR NEEDS...

MODEL	PAGE
1540 Crane Body	4
2244 Service Body	6
2244 Crane Body	8
2250 Service Body	10
2250 Crane Body	12
2252 Crane Body	14
2460 11' Crane Body	16
2460 14' Crane Body	18
Crane Flatbed	20
Propane Crane Body	22
Lube Skids	24
Custom Solutions	26
Options	28



ABOUT SERVICE TRUCKS INTERNATIONAL

We offer a full line of service and crane bodies to meet all of your service fleet needs. Each body is hand-crafted with a high attention to detail, quality, and durability. Designed to fit 10,500 GVW and larger chassis, our bodies are available in a variety of sizes and configurations to meet all your in-the-field service needs. Our sales team will guide you through each step of spec'ing both the body and the chassis it goes on, ensuring that the final product is designed around your needs.

Tiger Cranes are designed and manufactured in our production facilities and distributed as a separate brand from STI. Tiger Cranes feature lifting capacities from 2,000 to 14,800 lbs. In addition to cranes, we offer many other accessories such as: reciprocating and rotary screw hydraulic air compressors; integrated all-in-one systems; tool boxes and bolt bins; custom lighting packages; hydraulic power circuits; inverters; lube packages and lube skids; bedliner; and much, much more.

Serving the industry since 1985, our goal is to keep your fleet operating cost down, while maintaining a high level of quality to maximize overall value. We invite you to explore the catalog to learn more about our company and products. More information is also available at servicetrucks.com or contacting us at 800.225.8789.

MODEL
1540



Lightweight &
ROBUST...

1540 CRANE BODY

Specifications

Cabinets	15" D x 40" H
Dimensions	108" L x 96" W
9 ft body	49.5"
Deck width	10,000 ft-lb
Crane tower rating	250 lb
Shelving capacity	A60 galvaneal
Cabinet material	4 flush mount
Tiedowns	Manual
Outriggers	2.5" Cat V receiver
Hitch	10.5K
Minimum GVW	
Single Rear Wheel	
8" Treadplate steps	

Standard Features

- Stainless steel chipguard - full height
- Transverse cabinet
- Compartment pressurization
- Infinitely adjustable shelving
- 3-point compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

2081E

Optional Equipment: See page 28



More Than
YOU ARE USED TO...

Specifications

Cabinets	22.5" D x 44" H
Dimensions	
9 ft body	108" L x 96" W
Workbench	15" D
Deck width	51"
Shelving capacity	250 lb
Cabinet material	A60 galvaneal
Tiedowns	4 flush mount
Hitch	2.5" Cat V receiver
Minimum GVW	14K
Dual Rear Wheel	

Standard Features

- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-point compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Optional Equipment: See page 28



Winning
COMBINATION...

Specifications

Cabinets	22.5" D x 44" H
Dimensions	
9 ft body	108" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	19" D
Deck width	51"
Crane tower rating	30,000 ft-lb
Shelving capacity	250 lb
Cabinet material	A60 galvaneal
Tiedowns	4 flush mount
Outriggers	Manual
Hitch	2.5" Cat V receiver
Minimum GVW	16K
Dual Rear Wheel	

Standard Features

- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

2081E
3216E/EP
4016E/EP
5032E/EP

Optional Equipment: See page 28



Maximum
SERVICE...

Specifications

Cabinets	22" D x 50" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	17" D
Deck width	51"
Shelving capacity	250 lb
Cabinet material	A60 galvalneal
Tiedowns	6 flush mount
Hitch	2.5" Cat V receiver
Minimum GVW	16K-22.5K

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- All stainless steel hardware
- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Optional Equipment: See page 28

MODEL
2250



Most
VERSATILE...

2250 CRANE BODY

Specifications

Cabinets	22" D x 50" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	22" D
Deck width	51"
Crane tower rating	50,000 ft-lb
Shelving capacity	250 lb
Cabinet material	A60 galvanneal
Tiedowns	6 flush mount
Outriggers	Manual or hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	19.5K-22.5K

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- All stainless steel hardware
- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

5032	6543
5032E/EP	8652
6542	8653
6542E/EP	

Optional Equipment: See page 28

MODEL
2252



Highly
CUSTOMIZABLE...

2252 CRANE BODY

Specifications

Cabinets	22" D x 52" H
Dimensions	
11 ft Body	132" L x 95" W
Vented bottle cabinet	20" W x 60" H
Workbench	23" D
Deck width	51"
Crane tower rating	50,000 ft-lb
Shelving capacity	250 lb
Cabinet material	A60 galvanized
Tiedowns	6 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	16K-22.5K

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

5032	6543
5032E/EP	8652
6542	8653
6542E/EP	

Optional Equipment: See page 28

MODEL
2460



Industry
LEADER...

2460 11' CRANE BODY

Specifications

Cabinets	24" D x 60" H
Dimensions	
11 ft body	132" L x 99" W
Vented bottle cabinet	20" W x 60" H
Workbench	25" D
Deck width	51"
Crane tower rating	90,000 ft-lb
Shelving capacity	250 lb
Cabinet material	A60 galvaneal
Tiedowns	
11 ft body	6 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver or 30K pintle
Minimum GVW	25.5K

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelves
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

8652	1061
8653	1069

Optional Equipment: See page 28

MODEL
2460

2460 14' CRANE BODY



Specifications

Cabinets	24" D x 60" H
Dimensions	
14 ft body	168" L x 99" W
Vented bottle cabinet	20" W x 60" H
Workbench	25" D
Deck width	51"
Crane tower rating	90,000 ft-lb
Shelving capacity	250 lb
Cabinet material	A60 galvanneal
Tiedowns	
14ft body	8 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver or 30K pintle
Minimum GVW	33K

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

8652	1069
8653	1593
1061	

Optional Equipment: See page 28

Everything
YOU NEED...

MODEL FLATBED



Unlimited
POSSIBILITIES...

CRANE FLATBED

Specifications

Cabinets	22" D X 52" H
Dimensions	132" L x 96" W
11 ft flatbed	
Crane tower rating	50,000 ft-lb
Cabinet material	A60 galvanized
Outriggers	Manual or hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	18K

Standard Features

- All stainless steel hardware
- Stainless steel front chipguard
- Rub rails / stake pockets
- Headgate
- Single panel doors
- 3-pt compression door locking system
- Stainless door checks
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

5032	6542E/EP
5032E/EP	8652
6542	8653

Optional Equipment: See page 28

MODEL PROPANE



Engineered
SOLUTIONS...

PROPANE CRANE BODY

Specifications

Cabinets	132" D x 52" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	21" D
Deck width	51"
Crane tower rating	50,000 ft-lb
Shelving capacity	250 lb
Cabinet material	A60 galvaneal
Tiedowns	6 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	18K



Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Compartment pressurization
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

6542
8652
8653

Optional Equipment: See page 28



Flexible Fluid
MANAGEMENT...

Specifications

Full skid	Up to 6 products
Dimensions	47" W x 72" L
Capacity	240 gallons
Half skid	Up to 5 products
Dimensions	47" W x 51" L
Capacity	120 gallons
Tank sizes	30 gal, 60 gal, 118 gal
Grease sizes	35 lb, 120 lb
Tank materials	10 ga steel
Air required	10-30 CFM @ 90 PSI

Popular Configurations

- Three 30 gal product + one 30 gal waste (half skid)
- Two 30 gal product + one 60 gal waste + 35 lb grease (half skid)
- Four 30 gal product + one 60 gal waste + 120 lb grease
- Two 60 gal product + two 30 gal product + one 60 gal waste
- One 60 gal product + two 30 gal product + one 60 gal waste + 35 lb grease
- Two 60 gal product + one 30 gal product + one 30 gal antifreeze + one 60 gal waste + 120 lb grease

Standard Features

- Full frame design
- Forklift and crane lift points
- Truck, trailer, or stationary
- Graco pumps and dispensers
- Reelcraft reels
- Tank sight gauges
- 2" cam lock fill ports
- Thermal reliefs

Options

- Preset dispensers
- Digital meters
- Stainless steel tanks

CUSTOM SOLUTIONS





Masterlock



Welders



Pintle Hitch



Backup Camera



Custom Paint



Custom Wraps



In-Cab Laptop Stand



Weld-On D Ring



Mechanics Vice




Inverters



Roll-out Bolt Bins



Lift Gate




Crane Remote Saddle



Aerosol Can Holders



Cord Holders



Spare Tire Bracket



All-In-One Options (Enpak)



Weather Protected Controls



Split Compartments



Dual Roll-outs



Engine Driven Air



Winches



Stainless Steel Jamb Covers



Integrated Lube Options



Custom Layouts



Safety Lighting



Hydraulic Air Options



Lockable Deck Covers



Wheel Chocks & Shoring Pads



Folding Steps & Handrails



Spray-On Bedliner



Interior & Exterior Lighting



Service Trucks International (STI), a wholly owned division of Sioux Automation Center Inc, has been crafting high quality service bodies since 1985. Specializing in mobile service products, STI strives to meet the needs of operators and retailers of heavy equipment used in mining, road construction, site prep and land clearing, agricultural equipment, the oil and gas industry and local, state, and federal government.

Based in Sioux Center, Iowa, STI manufactures service bodies, as well as a complete line of telescoping service cranes under the Tiger Crane brand name. STI markets equipment through both direct and distributor channels in the United States, Canada, Mexico, as well as international markets.



877 1st Ave NW, Sioux Center, Iowa 51250

servicetrucks.com | 800.225.8789 | sales@servicetrucks.com