

DeweEze®

FULL LINE CATALOG

powered by
HARPER INDUSTRIES, INC.



HISTORY

in the heartland

1968 | Established

DewEze is incorporated as interest in hay handling equipment grows.

1974 | DewEze Manufacturing



DewEze produces the 265 bale bed insert with the arrival of the round bale. This electric-hydraulic equipment is capable of moving two round bales at once.

1976 | 265 Bale Pickup



The two-bale rig Super Slicer expands the hay handling line by rotating the bale to the "soft spot" and slicing into a swathe.

1979 | Super Slicer



A watershed year: DewEze introduces its first bale bed - the 200 Series - at the 1984 Kansas State Fair.

1984 | 200 Series



1968 | Hay Monster

Dewey Hostetler, a Kansas farmer, invents the Hay MoBale in an effort to move small square bales from the field to a flatbed.




1975 | Bale Bus

DewEze unveils the Bale Bus, the first-of-its-kind loader, to pick up and haul more than one big bale at a time.



1983 | 165-I

DewEze' Bale Pik-up technology is applied to tractors with the release of the 165-I Bale Hugger. This innovative design later expands to skid steers.



1979 | Hydraulic Power Systems

DewEze Hydraulic Power Systems begin production. The hydraulic systems originally designed for moving bales later drives other commercial enterprises.



1994 | 660 Bale Loader

The 660 Bale Loader bolt-on unit comes to market, converting any flatbed into a big bale transport feeder.

Ranchers turn their farm trucks into a versatile hay handling tool with the 300 Series Bale Bed.

1996 | 300 Series




The Super Slicer II – the next generation of bale slicing equipment – is introduced as an innovative tool to feed long stem hay.

1997 | Super Slicer II



DewEze expands its flatbed line, offering a 100 Series Standard Flatbed and a Reel Transport model, to serve various markets.

1998 | 100 Series & R/T Bed



Another new product line – the 500 Series Bale Bed is released, accommodating dual wheel trucks.

2002 | 500 Series



In classic DewEze style, the 600/700 Series Bale Bed redesign features an updated head-ache rack, LED lights, Gatorhyde coating and new paint scheme on the arms.

2009 | 600/700 Series



DewEze establishes a position in the truck equipment market with the release of the 1000 Series Standard Flatbed.

2015 | 1000 Series Flatbed



1996 | 365 Bale Pik-up

The 365 slide-in technology updates the unit from the original 1976 design.



1998 | Harper Industries, Inc.

An employee leadership group led by Tim Penner, President, acquires DewEze' assets, initiating a period of profound growth and innovation as Harper Industries.



2000 | 400 Series

The first new product line introduced after purchase by Harper Industries, DewEze redesigns technology for the 400 Series Bale Bed.



2007 | HORSCH LLC

Harper purchases an interest in HORSCH activity in North America by agreeing to produce HORSCH tillage and seeding equipment at the Hill plant in Harper, KS.



2013 | Pivot Bale Bed

Built with the same strength and style as the industry-leading Parallel Squeeze, the Pivot Squeeze opens and closes from 110 to 34 inches wide.

Eickhoff Family

Grass Range, Montana

The Eickhoff Ranch and Elk Creek Cattle Company grow in different directions, yet stem from the same tree in central Montana since 1911. Wanye and Ginger Eickhoff, and their son, Allyn, own and operate Eickhoff Ranch. Lyle and his wife, EDee, formed the Elk Creek Cattle Company in 1999. Together, both families trek across 10,000 acres to tend to about 900 head of cattle. They purchased their first DewEze Bale Bed in 1987 to aid in backbreaking tasks.

"It's a lot easier and quicker to use a DewEze," Wayne said. "I am 71 years old. We have cattle in several different pastures and it allows us to feed them in a timely manner."



DewEze Dealer:
Tom's Shop, *Grass Range, MT*

Lyons Ranch

Alta Vista, Kansas

Karl and Amy Langvardt have tended many cattle over the last four decades in the Kansas Flint Hills. Karl grew up at the Langvardt family's sale barn, and Amy helped raise cattle with her family. Today, they co-manage Lyons Ranch, a 300 head Angus cow-calf operation, and help run the Langvardt family's two livestock auction markets.

They bought their first DewEze in 1998. "We have always liked the design of the DewEze beds and how easy they are to use," Karl said. "They protect the trucks and help us get our jobs done faster and better."

"We travel a lot of miles, taking care of cows then getting to the sales," Amy said. "The beds are key to us doing what we need to every day."



DewEze Dealer:
Flint Hills Welding, *Alta Vista, KS*

Rumley Farms

Minco, Oklahoma

Nestled away about an hour southwest of Oklahoma City, you'll find fifth generation cattle ranchers Orville and Sarah Rumley. Together with their son, Randy, and his wife, Jill, Rumley Farms cares for 600 head of commercial and Angus cattle. The Rumley cattle operation is spread across 25 different pastures, spanning 3,800 acres, requiring a great amount of time to appropriately care for each herd.

"We operate DewEze Bale Beds because it saves us time and money transporting and feeding two bales at a time," Sarah said. "A DewEze Bale Bed is the best gift my husband could have ever given me!"



DewEze Dealer:
Myers DewEze, *Anadarko, OK*

DewEZE®


Hay Handling Equipment

The bale beds ranchers
have relied on for years.

1000 Series Standard Flatbed		06
600/700 Series Parallel Squeeze		08
600/700 Series Pivot Squeeze		10
600/700 Series Optional Equipment		12
1000 Series & 600/700 Series Specs		14
Reel Transport Bed Features & Specs		16
660 Bolt-on Unit Features & Specs		18
165 Bale Hugger Features & Specs		20
Super Slicer II Features & Specs		22

Heavy-Duty Steel Construction

The right bed to conquer any job, this innovative, heavy-duty steel construction design boasts superior strength-to-weight ratio. Flatbeds are customizable with a square or beveled end depending on the workload.




Full-View Headache Rack

Specifically designed to fit the contour of the cab, the full-view, louvered headache rack offers another layer of protection for your rear window. Steel grab handles enhance your bed's styling while giving you a helping hand on the job.



Illuminated LED Lights

High-quality LED lights improve your bed's styling and lighting performance over stock tail light assemblies. You'll notice a sharper, more focused LED light beam in the headache rack, side clearance and tail/brake lights.




Gooseneck with Flush Well Covers

The 1000 Series Flatbed is equipped with a 40,000 lb. recessed gooseneck ball which includes an adjustable hitch placement. A receiver hitch and D-rings complete the package to assist with all hauling needs.



Corrosion Protective Coating

All DewEze flatbeds are finished by applying Gatorhyde lining to the deck surface. This polyurethane coating creates a corrosion-resistant surface, designed to withstand treacherous weather and built to last.



2-Year Flatbed Warranty

DewEze beds consistently return the industry's best resale value because of their durable and reliable steel construction. A bed built to outlast the truck you put them on and also backed by a two-year warranty.



For additional information on DewEze Flatbed features and options, visit www.deweze.com. Specifications are located on page 14.

1000 SERIES FLATBED

setting the standard

While we've learned a few tricks since our first beds rolled off the production line in 1984, one trait has defined DewEze from the beginning – DURABILITY. DewEze beds forge ahead, no matter the size of the job or severity of the weather.




PATENTED PARALLEL **SQUEEZE**

The traditional Parallel Squeeze is the foundation of our bale beds. The original DewEze Parallel Squeeze bale hugger on the market, it's the bed that changed the way ranchers work in the field. With a grip capacity of 41 to 90 inches, the Parallel Squeeze is built to handle the heaviest jobs. Load. Haul. Unroll.

Because your feed truck is a vital part of your operation.





600/700 SERIES PARALLEL SPINNERS

Built to handle the heaviest lifting jobs, the 16 inch spinners are sequenced with the arms to always move parallel to the bale. Smaller 12 inch spinners are also available for a tighter, more focused grip on the center of the bale. Spanning just a foot, these parallel spinners conveniently store in your toolbox when not in use. *(optional)*

BALE BED RISERS

600/700 Series beds offer risers to improve the efficiency of your feeding application. These steel components attach to the arms and hold the spinners, allowing for the bale to unroll closer to the core - reducing waste and allowing for the arms to lay flush on the bed deck when not in use. *(optional)*

HYDRAULIC KITS MANUFACTURED IN-HOUSE

The only flatbed to exclusively feature a clutch pump kit manufactured in-house, DewEze Hydraulic Systems run independent of your truck's transmission. The kit components are designed for your truck's horsepower requirements.

(www.deweze.com/hydraulics/find-kit)

As an alternate power source, DewEze has expanded the options and serviceability of its E/H line, now offering three models.


(Standard, Heavy Duty & Hybrid E/H kits)

WIRELESS REMOTE

Change the way you work in the field with the DewEze wireless remote. Designed to run the functions of the bed regardless of the weather - from the comfort of your cab or out in the field.

(optional corded remote also available)

*Visit www.deweze.com to locate your nearest DewEze Dealer.
Specifications are located on page 15.*



600/700 SERIES PIVOT SPINNERS

Our patented 12 inch swivel spinners keep the bale parallel while unrolling, converting into greater accuracy and coverage while feeding. *(optional)*

REAR HYDRAULIC COUPLERS

Rely on DewEze Bales Beds for more than just handling hay. Move or operate rear-mounted hydraulic equipment by simply tapping into DewEze' pioneer fittings.

3100 LB. LIFT CAPACITY

All 600/700 Series Bale Beds include dual lift cylinders with a lift capacity of 3,100 lbs. Both the cylinders and tailboard are removable for servicing.

DUMMY ARMS

Solid dummy arms with tie-down hooks assist you with your hauling needs. The dummy arms create side rails on the perimeter of the bed when the bale arms are not in use.

*For additional information on the 600/700 Series features and options, visit www.deweze.com.
Specifications are located on page 15.*



NEW PIVOT SQUEEZE

Engineered with the same strength and sophistication as the industry-leading Parallel Squeeze, this synchronized squeeze function moves bales more efficiently. The arms pivot open and close from 110 to 34 inches for a wider range of motion on various bale sizes.

Get a grip and increase your coverage area with the patented 12 inch swivel spinner. Feed easy from the comfort of your cab with the wireless remote that comes standard with DewEze under-the-hood hydraulics.

Enjoy the durability and power of DewEze Bale Beds, designed for the road ahead.



Optional Flatbed Equipment

For additional information on the 1000 Series and 600/700 Series features and options, visit www.deweze.com.



ACROSS-THE-BED & UNDERBELLY TOOLBOX

Made from the same heavy-steel construction, across-the-bed and underbelly toolbox options complete your storage needs. The underbelly toolbox features a step and rubber mat. *(1000 Series & 600/700 Series)*

LIFT BAR

Combine the lifting power of both loading arms to pick up pipe or pull yourself out of a mud hole. The lift bar is available for both Parallel and Pivot models to assist with miscellaneous projects around the farm. *(600/700 Series)*

HEADACHE RACK SWING LIGHT KIT

Fixed position light brackets or pivoting light brackets lead the way during after-hour tasks. Control the pivot light kit to illuminate anywhere you want to feed, or keep it flush with the headache rack when not in use. *(1000 Series & 600/700 Series)*

1000 SERIES SIDE RAILS

Easy-to-install steel side rails are available for each 1000 Series Flatbed to better organize and transport supplies. The side rails are specifically designed to fit each flatbed model by simply inserting the rails into the stake pockets. *(custom order)*

EXTENDABLE ARM BED *(XRM)*

Now extending an additional 20 inches on all models, the XRM places bales in round feeders or stacks bales in a row with ease. In addition to its reach, the XRM Pivot model arms range from 120 to 24 inches across. *(600/700 Series - requires XRM spinners and risers)*

SYNCHRONIZED SQUEEZE *(SSQ)*

Finish your chores faster with the synchronized squeeze feature. Both arms open and close at the same time on all Parallel models, hitting the hay dead center every time. *(600/700 Parallel Models)*

CONTINUED BED SKIRT

A look like no other, our heavy-duty, smooth bed skirts add appeal and value to your DewEze. *(1000 Series & 600/700 Series)*

*Can't find what you are looking for? Tell us about it.
Email products@deweze.com to connect with a product manager.*





1000 STANDARD FLATBED



	1670 1670 _B	1675 1675 _B	1676 1676 _B	1677 1677 _B	1679 1679 _B	1682 1682 _B	1684 1684 _B	1687 1687 _B	1688 1688 _B	1770 1770 _B	1776 1776 _B	1778 1778 _B	1782 1782 _B	1784 1784 _B	1787 1787 _B	1788 1788 _B
Rear Wheels	Single	Single	Single	Single	Single	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Dimensions	7'1" x 6'8"	7'1" x 8'	7'1" x 8'5"	7'1" x 8'10"	7'1" x 9'2"	7'9" x 8'10"	7'9" x 9'2"	7'9" x 11'	7'9" x 11'4"	8' x 6'8"	8' x 8'5"	8' x 8'	8' x 8'10"	8' x 9'2"	8' x 11'	8' x 11'4"
Truck Model	All Short Bed	All Long Bed	Varies with Make	'99 & Newer	'07 & Newer	'99 & Newer	'07 & Newer	'99 & Newer	'07 & Newer	All Short Bed	Varies with Make	All Long Bed	F-450 F-550**	4500 & 5500	F-450 F-550**	4500 & 5500
Cab-to-Axle	40"	56"	56"	60"	60"	60"	60"	84"	84"	40"	56"	56"	60"	60"	84"	84"
Truck Brand	All	All	All***	Ford	Ford & Dodge	Ford	All	Ford & Chevrolet	All	All	All***	All	Ford	All	Ford	All
Weight (lb.)	1,110 1,100 _B	1,180 1,170 _B	1,220 1,210 _B	1,260 1,250 _B	1,310 1,300 _B	1,360 1,350 _B	1,510 1,500 _B	1,630 1,620 _B	1,760 1,750 _B	1,110 1,100 _B	1,320 1,310 _B	1,230 1,220 _B	1,360 1,350 _B	1,510 1,500 _B	1,630 1,620 _B	1,760 1,750 _B
Set-up Code	Box Removal	Box Removal	Box Removal	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis	Box Removal	Box Removal	Box Removal	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis

(B) Beveled Flatbed Model (rear end)

(All) truck brands referenced include Dodge, Ford and Chevrolet

*Each bed has a lift capacity of 3,100 lbs. and a 2-year warranty on the flatbed.

**Any dual wheel cab chassis truck '98 and older will need a 682 or 687 model depending on the cab-to-axle measurement.

***Ford 2017+, Chevy 2011+, Dodge 2014+ for 2500 and 3500



600/700 SERIES BALE BED

	670 670 _p	675 675 _p	676 676 _p	677 677 _p	679 679 _p	682 682 _p	684 684 _p	687 687 _p	688 688 _p	770 770 _p	776 776 _p	778 778 _p	782 782 _p	784 784 _p	787 787 _p	788 788 _p
Rear Wheels	Single	Single	Single	Single	Single	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Dimensions	7'1" x 7'2"	7'1" x 8'6"	7'1" x 8'11"	7'1" x 9'4"	7'1" x 9'8"	7'9" x 9'4"	7'9" x 9'8"	7'9" x 11'6"	7'9" x 11'10"	8' x 7'2"	8' x 8'11"	8' x 8'6"	8' x 9'4"	8' x 9'8"	8' x 11'6"	8' x 11'10"
Truck Model	All Short Bed	All Long Bed	Varies with Make	'99 & Newer	'07 & Newer	'99 & Newer	'07 & Newer	'99 & Newer	'07 & Newer	All Short Bed	Varies with Make	All Long Bed	F-450 F-550**	4500 & 5500	F-450 F-550**	4500 & 5500
Cab-to-Axle	40"	56"	56"	60"	60"	60"	60"	84"	84"	40"	56"	56"	60"	60"	84"	84"
Truck Brand	All	All	All***	Ford	Ford & Dodge	Ford	All	Ford & Chevrolet	All	All	All***	All	Ford	All	Ford	All
Weight (lb.)	2,020 2,070 _p	2,070 2,120 _p	2,120 2,170 _p	2,170 2,220 _p	2,220 2,270 _p	2,270 2,320 _p	2,420 2,470 _p	2,540 2,590 _p	2,670 2,720 _p	2,070 2,120 _p	2,195 2,245 _p	2,120 2,170 _p	2,270 2,320 _p	2,420 2,470 _p	2,540 2,590 _p	2,670 2,720 _p
XRM Weight (lb.)	2,220 2,250 _p	2,270 2,300 _p	2,320 2,350 _p	2,370 2,400 _p	2,420 2,450 _p	2,470 2,500 _p	2,620 2,650 _p	2,740 2,770 _p	2,870 2,900 _p	2,270 2,300 _p	2,395 2,425 _p	2,320 2,350 _p	2,470 2,500 _p	2,620 2,650 _p	2,740 2,770 _p	2,870 2,900 _p
Set-up Code	Box Removal	Box Removal	Box Removal	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis	Box Removal	Box Removal	Box Removal	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis


(P) Pivot Squeeze Model

(All) truck brands referenced include Dodge, Ford and Chevrolet

*Each bed has a lift capacity of 3,100 lbs., a 10 gallon reservoir, a 2-year warranty on the flatbed and a 1-year warranty on the hydraulic and electrical systems.

**Any dual wheel cab chassis truck '98 and older will need a 682 or 687 model depending on the cab-to-axle measurement.

***Ford 2017+, Chevy 2011+, Dodge 2014+ for 2500 and 3500



REEL TRANSPORT


reel bed for real work.

The DewEze Reel Transport Bed combines an integrated reel lift into a durable flatbed, creating a versatile unit for standard loads and fifth wheel towing. This unique design is the heavy lifter for reels and spools, making it the most cost-effective bed on the market.



Includes all the classic features of the 1000 Series Standard Flatbed and same arm application as the 600/700 Series Bale Beds.

For additional information on the DewEze R/T features and options, visit www.deweze.com.



R/T RISERS

In addition to the standard features that apply to the DewEze flatbed series, the R/T is equipped with a pair of steel risers which cradle the shaft. Simply secure your center bar with the provided pins, and you are ready to roll.

EXTENDABLE ARM BED

Backed by DewEze' patented Parallel Squeeze technology, the XRM extends your reel transport reach another 20 inches, tackling large diameter reels with ease. The arms hydraulically adjust from 41 to 90 inches wide. *(optional)*

	675 _{R/T}	682 _{R/T}	684 _{R/T}	687 _{R/T}	778 _{R/T}	782 _{R/T}	784 _{R/T}	787 _{R/T}	788 _{R/T}
Rear Wheels	Single	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Dimensions	7'1" x 8'6"	7'9" x 9'4"	7'9" x 9'8"	7'9" x 11'6"	8' x 8'6"	8' x 9'4"	8' x 9'8"	8' x 11'6"	8' x 11'10"
Truck Model	All Long Bed	'99 & Newer	'07 & Newer	'99 & Newer	All Long Bed	F-450 F-550**	4500 & 5500	F-450 F-550**	4500 & 5500
Cab-to-Axle	56"	60"	60"	84"	56"	60"	60"	84"	84"
Truck Brand	All	Ford	All	Ford & Chevrolet	All	Ford	All	Ford	All
Weight (lb.)	2,090	2,270	2,240	2,540	2,140	2,270	2,420	2,540	2,670
XRM Weight (lb.)	2,270	2,470	2,620	2,740	2,320	2,470	2,620	2,740	2,870
Set-up Code	Box Removal	Cab & Chassis	Cab & Chassis	Cab & Chassis	Box Removal	Cab & Chassis	Cab & Chassis	Cab & Chassis	Cab & Chassis

(All) truck brands referenced include Dodge, Ford and Chevrolet

**Each bed has a lift capacity of 3,100 lbs., a 10 gallon reservoir, a 2-year warranty on the flatbed and a 1-year warranty on the hydraulic and electrical systems.*

***Any dual wheel cab chassis truck '98 and older will need a 682 or 687 model depending on the cab-to-axle measurement.*



660 Bolt-on


The DewEze 660 Bolt-on unit has provided ranchers with a seasonal feed truck option by converting any flatbed into a bale bed since 1994. With a lift capacity of 2,200 lbs., the 660 unit is designed to feed two round bales in one load, improving efficiency and saving costs. Need to remove the arms in a hurry? Don't worry, the bolt-on conversion can be easily removed in a matter of minutes.

PARALLEL SPINNERS

Engineered to provide the tightest squeeze, the 660 bale loader utilizes the patented Parallel Squeeze to grab and load bales. Spinners are also available for unroll feeding applications. *(optional)*

BALE PIK-UP RISERS

Ordered as a pair, the risers bracket onto the 660 arms and support the spinners, allowing you to get the most out of each bale you unroll. When the arms are not in use, the risers allow the arms to rest flush on the deck while the spinners are still attached. *(optional)*





EASY ACCESS GOOSENECK BALL

The unit bolts directly onto the flatbed deck, avoiding the gooseneck well. Easy access to the gooseneck ball means you won't lose valuable utility when you buy a DewEze 660.

HANDHELD CONTROL

DewEze 660 comes with a handheld remote control with a 20 foot cord, giving you the freedom to feed livestock wherever you want – from the great outdoors to the comfort of your cab.

STANDARD E/H UNIT

Powered by a self contained E/H unit, the bale loader offers easy installation, low maintenance and avoids taking up unwanted space in an across-the-bed or underbelly toolbox.


*Questions or concerns?
Email us at sales@deweze.com for further assistance.*

Dimensions	Weight: 800 lb. Width: Arms Open to 92"	Length: 68" Arms Close to 59"
Lifting Capacity (lb.)	2,200	
Construction	Heavy duty 6" square tubing and 3" x 4" parallel squeeze arms Each pivot point has replaceable steel bushings	
Lift Cylinder	One (1) 3.5" x 29"	
Squeeze Cylinder	One (1) 2" x 34"	
Power Source	12-volt electric pump unit	
Warranty	1-year warranty on bolt-on unit and electrical system	
Options	Risers (<i>pair</i>), Spinners for unrolling (<i>pair</i>), Lift Bar	

Harper Industries, Inc. reserves the right to make changes in specifications shown herein or add improvements at any time without notice or obligation.

165 Bale Hugger





Model	165-I	165-TL	165-SS
Weight (lb.)	475	425	480
Arms Open	86"	86"	86"
Arms Closed	53"	53"	53"
Arms Closed (with spinners)	45"	45"	45"
Attachment(s)	3-Point Cat. II	Front-end Loader Universal Brackets	Skid Steer Attachment
Squeeze Cylinder	Standard	Standard	Standard
Spinner	Optional	Optional	Optional
Warranty	1-year warranty	1-year warranty	1-year warranty

Harper Industries, Inc. reserves the right to make changes in specifications shown herein or add improvements at any time without notice or obligation.

Give your tractor or skid steer a lift with the 165 Bale Huger. This broad attachment features DewEze' patented Parallel Squeeze technology to securely grasp the sides or ends of the bale from 86 to 53 inches. Universal brackets adjust to fit most front-end loaders. Utilize for range feeding, moving or unloading round bales, or when your truck can't reach your herd during bad weather.

Easy installation and trouble-free operation delivered by the leader in big bale hay handling equipment.

OPERATING CONTROLS

Raise and lower arms or grab bales from the comfort of the operator seat using the application's control station.

HEAVY-DUTY STEEL CONSTRUCTION

Extra heavy-duty steel construction adds strength and durability, lifting up to 3,000 lbs.
(will vary with each application)

PARALLEL SPINNERS

Hug, haul and unroll with spinners designed to keep the bale horizontal while moving or feeding.

For additional information on the DewEze 165 features and options, visit www.deweze.com.



Dimensions	Working Width: 9'10" Transport Width: 8'6"	Length: 12'4" Height: 9'
Pickup Lift Cylinder	4' x 18"	
Hydraulic Requirements <i>(minimum)</i>	Dual tractor hydraulic outlets 12-15 GPM flow at 1800 PSI	
Flow Controls	Controls variable speed of sickle and slats	
Model Options	540 PTO Drive or Hydraulic	
Warranty	1-year warranty	


Harper Industries, Inc. reserves the right to make changes in specifications shown herein or add improvements at any time without notice or obligation.



Aggressive enough to tear up a bale, yet gentle enough to preserve the leaves, the DewEze Super Slicer II delivers maximum strength and efficiency to feed your herd. The hydraulically-powered (or optional PTO) sickle slices through wet, frozen or tight bales with less waste and full bale feeding control.

Simply process hay into a windrow, bunk or directly into a square baler without destroying hay quality. Bales discharge quietly with minimal dust, and the leaves stay on the stem. Powered to lift, load, transport or feed using minimal horsepower – the Super Slicer is the most cost-efficient rebaling option in today's market.

For additional information on the Super Slicer II features and options, visit www.deweze.com.



DOUBLE-BALE CAPACITY

Heavy-duty tubular frame construction for two-bale transport and feeding, even through the worst weather conditions.

PATENTED SICKLE GUARD

Our field-tested and patented sickle guard keeps the sickles close to the top guard, ensuring a clean cut.

SELF-LOADING

The bale loading arm hydraulically lifts the bale into the feeding chamber, making feeding an easy job for any one-man operation.

SLICER CONTROLS

As the bale is fed into the slicer, adjust the flow control valve for the feeder chain to match your hay type and manage sickle speed. Secondly, use your tractor's control panel to operate the lift load arm and run the hydraulic table.

UNIFORM FEEDING

Because the hay is sliced – not flailed, chopped or shredded – you'll feed with minimal leaf loss and dust. The DewEze Super Slicer II also allows you to slice and unroll your bales evenly into feed bunks and windrows.



 **FIND A HARPER DEALER**





Visit deweze.com/find-a-dealer/ today to locate your nearest DewEze Dealer.

DewEze

/// HARPER INDUSTRIES, INC.

151 E. US Hwy 160 Harper, Kansas 67058, USA

DewEze

 620.896.7381
 620.896.7129
 sales@deweze.com
 www.deweze.com

  @DewEze_Mfg
  HarperIndustries